

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 01/22/2010

Reviewed on 01/22/2010

**1 Identification of substance:****Product details:****Product name:** 3-Amino-1-phenylbutane**Stock number:**

A18804

L06537

**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Emergency Phone: (978) 521-6300

CHEMTREC: (800) 424-9300

Web Site: www.alfa.com

**Information Department:** Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

**2 Composition/Data on components:****Chemical characterization:****Description: (CAS#)**

3-Amino-1-phenylbutane (CAS# 22374-89-6)

**Identification number(s):****EINECS Number:** 244-942-2**3 Hazards identification****Hazard description:**

T Toxic

**Information pertaining to particular dangers for man and environment**

R 24/25 Toxic in contact with skin and if swallowed.

R 34 Causes burns.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2
FIRE	1
REACTIVITY	1

Health (acute effects) = 2

Flammability = 1

Reactivity = 1

**GHS label elements****Danger**

3.1/3 - Toxic if swallowed.

3.1/3 - Toxic in contact with skin.

**Danger**

3.2/1C - Causes severe skin burns and eye damage.

4.1/3 - Harmful to aquatic life with long lasting effects.

**Prevention:**

Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or if you feel unwell:

Immediately call a POISON CENTER or doctor/physician.

USA

(Contd. on page 2)

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 01/22/2010

Reviewed on 01/22/2010

Product name: 3-Amino-1-phenylbutane

(Contd. of page 1)

**4 First aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.

**After eye contact**

Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek immediate medical advice.

**5 Fire fighting measures****Suitable extinguishing agents**

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Special hazards caused by the material, its products of combustion or resulting gases:**

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Possibly HCN

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

**6 Accidental release measures****Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Measures for environmental protection:**

Do not allow material to be released to the environment without proper governmental permits.

**Measures for cleaning/collecting:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

**Additional information:**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage****Handling****Information for safe handling:**

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Prevent formation of aerosols.

**Information about protection against explosions and fires:** Keep ignition sources away.

**Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:**

Store away from oxidizing agents.

Do not store together with acids.

Store away from air.

**Further information about storage conditions:**

Store under dry inert gas.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

This product is air sensitive.

**8 Exposure controls and personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Components with limit values that require monitoring at the workplace:** Not required.

(Contd. on page 3)

- USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 01/22/2010

Reviewed on 01/22/2010

**Product name: 3-Amino-1-phenylbutane**

(Contd. of page 2)

**Additional information:** No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**Breathing equipment:** Use suitable respirator when high concentrations are present.**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

**Material of gloves**

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

**Eye protection:** Safety glasses**Body protection:** Protective work clothing.**9 Physical and chemical properties:****General Information**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
<b>Odor:</b>	Amine-like

**Change in condition**

<b>Melting point/Melting range:</b>	-50°C (-58°F)
<b>Boiling point/Boiling range:</b>	221-222°C (430-432°F)
<b>Sublimation temperature / start:</b>	Not determined

**Flash point:** 98°C (208°F)**Ignition temperature:** 330°C (626°F)**Decomposition temperature:** Not determined**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:**

<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined

**Vapor pressure:** Not determined**Density at 20°C (68°F):** 0.928 g/cm<sup>3</sup>**Solubility in / Miscibility with Water:** Slightly soluble**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

**Materials to be avoided:**

Oxidizing agents

Air

Carbon dioxide

Acids

**Dangerous reactions** No dangerous reactions known**Dangerous products of decomposition:**

Carbon monoxide and carbon dioxide

Nitrogen oxides

Possibly HCN

**11 Toxicological information****Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	165 mg/kg (rat)
Dermal	LD50	360 mg/kg (rat)

**Primary irritant effect:****on the skin:** Corrosive effect on skin and mucous membranes.

(Contd. on page 4)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 01/22/2010

Reviewed on 01/22/2010

**Product name: 3-Amino-1-phenylbutane**

(Contd. of page 3)

**on the eye:** Strong corrosive effect.**Sensitization:** No sensitizing effects known.**Subacute to chronic toxicity:**

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss. Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

**Additional toxicological information:**

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**12 Ecological information:****Ecotoxicological effects:****Remark:** Harmful to fish**General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits. Harmful to aquatic organisms

**13 Disposal considerations****Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information****DOT regulations:****Hazard class:**

8

**Identification number:**

UN2922

**Packing group:**

III

**Proper shipping name (technical name):** CORROSIVE LIQUID, TOXIC, N.O.S. (3-Amino-1-phenylbutane)**Label**

8+6.1

**Land transport ADR/RID (cross-border)****ADR/RID class:**

8 (CT1) Corrosive substances

**Danger code (Kemler):**

86

**UN-Number:**

2922

**Packaging group:**

III

**Description of goods:**

2922 CORROSIVE LIQUID, TOXIC, N.O.S. (3-Amino-1-phenylbutane)

(Contd. on page 5)

USA

**Material Safety Data Sheet**

acc. to OSHA and ANSI

Printing date 01/22/2010

Reviewed on 01/22/2010

**Product name: 3-Amino-1-phenylbutane**

(Contd. of page 4)

**Maritime transport IMDG:**

**IMDG Class:** 8  
**UN Number:** 2922  
**Label** 8+6.1  
**Packaging group:** III  
**Marine pollutant:** No  
**Proper shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (3-Amino-1-phenylbutane)

**Air transport ICAO-TI and IATA-DGR:**

**ICAO/IATA Class:** 8  
**UN/ID Number:** 2922  
**Label** 8+6.1  
**Packaging group:** III  
**Proper shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (3-Amino-1-phenylbutane)

**UN "Model Regulation":** UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), III

**15 Regulations****Product related hazard informations:****Hazard symbols:**

T Toxic

**Risk phrases:**

24/25 Toxic in contact with skin and if swallowed.

34 Causes burns.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**Safety phrases:**

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

45 In case of accident or if you feel unwell, seek medical advice immediately.

61 Avoid release to the environment. Refer to special instructions/Safety data sheets

**National regulations**

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only.

Some or all of the components of this product are not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

**Information about limitation of use:** For use only by technically qualified individuals.

**16 Other information:**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing MSDS:** Health, Safety and Environmental Department.

**Contact:** Zachariah Holt

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 6)

USA

**Material Safety Data Sheet**  
acc. to OSHA and ANSI

Printing date 01/22/2010

Reviewed on 01/22/2010

**Product name: 3-Amino-1-phenylbutane**

(Contd. of page 5)

IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organization  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
HMIS: Hazardous Materials Identification System (USA)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent

USA