

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Arsenic(III) chloride**

Stock number: 11681

CAS Number:
7784-34-1

EC number:
232-059-5

Index number:
033-002-00-5

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Thermo Fisher (Kandel) GmbH
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department: Product safety Tel + +049 (0) 7275 988687-0


1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)
Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008


 GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H331 Toxic if inhaled.


 GHS08 health hazard

Carc. 1A H350 May cause cancer.

 GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

 GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Other hazards that do not result in classification No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS06 GHS08 GHS09

Signal word Danger

Hazard statements

H301+H331 Toxic if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dusts or mists.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS# Designation:

7784-34-1 Arsenic(III) chloride

Concentration: ≤100%

Identification number(s):

EC number: 232-059-5

Index number: 033-002-00-5

Trade name **Arsenic(III) chloride**

(Contd. of page 1)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Instantly remove any clothing soiled by the product.
Remove breathing apparatus only after soiled clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
Seek immediate medical advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

Causes severe skin burns.
Toxic if inhaled.
Toxic if swallowed.
Causes serious eye damage.
May cause cancer.
Suspected of causing cancer by inhalation.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

5.2 Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen chloride (HCl)

Arsenic oxides

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

6.4 Reference to other sections

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas.

Keep containers tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Information about protection against explosions and fires: The product is not flammable

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements.

Information about storage in one common storage facility:

Store away from water.

Do not store together with acids.

Store away from strong bases.

Store away from oxidising agents.

Store away from metal powders.

Store away from metals.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and keep away from water.

Store in a locked cabinet or with access restricted to technical experts or their assistants.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

7784-34-1 Arsenic(III) chloride (100,0%)

MAK (Germany)	vgl. Abschn. XII
PEL (USA)	Long-term value: 0,01 mg/m ³ as As; 29CFR1910,1018
REL (USA)	Ceiling limit: 0,002 mg/m ³ as As; 15min; See Pocket Guide App. A
TLV (USA)	Long-term value: 0,01 mg/m ³ as As; BEI

(Contd. on page 3)
DE

Trade name *Arsenic(III) chloride*

(Contd. of page 2)

Ingredients with biological limit values:

7784-34-1 Arsenic(III) chloride (100,0%)

BEI (USA) 35 µg As/L
Medium: urine
Time: end of workweek
Parameter: Inorganic arsenic plus methylated metabolites

Additional information: No data

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use self-contained respiratory protective device in emergency situations.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Impervious gloves

Eye protection:

Tightly sealed safety glasses.

Full face protection

Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid
Odour: Pungent, makes eyes water
Odour threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/freezing point: -16 °C
Initial boiling point and boiling range: 130,2 °C
Sublimation temperature / start: Not determined
Inflammability (solid, gaseous) Not determined.
Ignition temperature: Not determined
Decomposition temperature: Not determined
Self-inflammability: Not determined.

Explosive properties: Not determined.

Critical values for explosion:

Lower: Not determined
Upper: Not determined
Steam pressure at 20 °C: 13 hPa
Density at 20 °C 2,163 g/cm³
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Reacts
Partition coefficient: n-octanol/water: Not determined.

Viscosity:

dynamic: Not determined.
kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No information known.

10.2 Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions Reacts with strong oxidising agents

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials:

Acids
Bases
Oxidising agents
Metal powders
Metals
Water/moisture

10.6 Hazardous decomposition products:

Hydrogen chloride (HCl)
Arsenic oxides (As₂O_x)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Toxic if inhaled.

Toxic if swallowed.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

Toxic if swallowed or if inhaled.

LD/LC50 values that are relevant for classification:

Oral | LD50 | 37,5 mg/kg (rat)

(Contd. on page 4)

Trade name **Arsenic(III) chloride**

(Contd. of page 3)

Dermal LD50 80 mg/kg (rat)

Skin irritation or corrosion:

Causes severe skin burns.
Causes severe skin burns and eye damage.

Eye irritation or corrosion:

Causes serious eye damage.
Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

May cause cancer.
May cause cancer.

EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

Carcinogen as defined by OSHA.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for fish

Additional ecological information:

General notes:

Water danger class 3 (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations.

Consult state, local or national regulations for proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number

ADR, IMDG, IATA

UN1560

14.2 UN proper shipping name

ADR, IMDG, IATA

1560 ARSENIC TRICHLORIDE
ARSENIC TRICHLORIDE

14.3 Transport hazard class(es)

ADR



Class

Label
IMDG, IATA

6.1 (T5) Toxic substances.
6.1



Class
Label

6.1 Toxic substances.
6.1

Packing group

ADR, IMDG, IATA

I

14.5 Environmental hazards:

Environmentally hazardous substance, liquid; Marine Pollutant

14.6 Special precautions for user

Warning: Toxic substances.

Kemler Number:

66

EMS Number:

F-A,S-A

Stowage Category

B

Stowage Code

SW2 Clear of living quarters.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ):

E5

(Contd. on page 5)
DE

Trade name **Arsenic(III) chloride**

(Contd. of page 4)

Limited quantities (LQ) Excepted quantities (EQ)	0 Code: E5 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 300 ml
Transport category Tunnel restriction code	1 C/E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	0 Code: E5 Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 300 ml
UN "Model Regulation":	UN 1560 ARSENIC TRICHLORIDE, 6.1, I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical Substances Substance is listed.
Standard for the Uniform Scheduling of Medicines and Poisons Substance is not listed.

Directive 2012/18/EU
Named dangerous substances - ANNEX I Substance is not listed.

Seveso category

H2 ACUTE TOXIC
E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 19

National regulations

Information about limitation of use:

Workers should not be exposed to this hazardous material. Exceptions can be made by the authorities in certain exceptional cases.
Employment restrictions concerning young persons must be observed.

For use only by technically qualified individuals.

Technical instructions (air):

Class	Share in %
I	100,0

Water hazard class: Water danger class 3 (Self-assessment): extremely hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances) Substance is not listed.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety and Health Administration (USA)

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1