

Safety data sheet according to 1907/2006/EC, Article 31

Page 1/4

Printing date 30.10.2015 Revision: 10.02.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Magnesium silicide

Stock number: 45518 CAS Number: EC number:

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

1.3 Details of the supplier of the Manufacturer/Supplier:
Thermo Fisher (Kandel) GmbH Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com www.alfa.com

Informing department: Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Water-react. 2 H261 In contact with water releases flammable gases.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

F: Highly flammable

R15: Contact with water liberates extremely flammable gases.

Information concerning particular hazards for human and environment: Not applicable Other hazards that do not result in classification No information known.

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms



GHS02

Signal word Danger

Hazard statements
H261 In contact with water releases flammable gases.

Precautionary statements
P231+P232 Handle under inert gas. Protect from moisture.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P233 Keep container tightly closed.
P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.
P402+P404 Store in a dry place. Store in a closed container.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances CAS# Designation: 22831-39-6 Magnesium silicide Identification number(s): EC number: 245-254-5

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalationSupply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. For safety reasons unsuitable extinguishing agents Water.

5.2 Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Silicon oxide

Metal oxide

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Page 2/4 Printing date 30.10.2015 Revision: 10.02.2014

(Contd. of page 1)

Trade name *Magnesium silicide*

5.3 Advice for firefighters

Protective equipment: Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures

6.2 Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources

6.2 Environmental precautions: Do not allow material to be released 6.3 Methods and material for containment and cleaning up: Keep away from ignition sources. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. 6.4 Reference to other sections See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires: No information known.

7.2 Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and containers: No special requirements.
Information about storage in one common storage facility:

Store away from water.
Do not store together with acids.
Store away from oxidising agents.
Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.

This product is air sensitive

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and keep away from water.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

8.2 Exposure controls

8.2 Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use breathing protection with high concentrations.
Protection of hands:
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) Not determined

Penetration time of glove material (in minutes) Not determined

Eye protection: Safety glasses Full face protection

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance: Form: Colour:

Various forms (powder/flake/crystalline/beads, etc.) Blue Not determined

Smell: Odour threshold: Not determined pH-value: Not applicable.

Change in condition

1102 °C

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Not determined

Contact with water liberates extremely flammable gases.

Not determined.

Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Self-inflammability: Not determined Not determined Not determined

Danger of explosion: Critical values for explosion:

Not determined Not determined Not applicable. Upper: Steam pressure:

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Page 3/4 Printing date 30.10.2015 Revision: 10.02.2014

(Contd. of page 2)

Trade name *Magnesium silicide*

Density at 20 °C Relative density Vapour density Evaporation rate 2 g/cm³ Not determined. Not applicable. Not applicable.

Solubility in / Miscibility with

Water: Contact with water releases flammable gases

Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic Not applicable. kínematic

Not applicable. No further relevant information available. 9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity In contact with water releases flammable gases which may ignite spontaneously.

10.2 Chemical stability Stable under recommended storage conditions.

Thermal decompositión / conditions to be avoided: No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions
Reacts with strong oxidising agents
Contact with water releases flammable gases
10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials:

Acids

Oxidising agents
Water/moisture

10.6 Hazardous decomposition products:

Silicon oxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects
Acute toxicity: No effects known.
LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effect known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subgrupt to chapter to get the specific travel.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability No further relevant information available.
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.

Additional écological information: General notes:

Do not allow material to be released to the environment without proper governmental permits.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste.

Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information **UN-Number**

ADR, IMDG, IATA

UN2624

14.2 UN proper shipping name

2624 MAGNESIUM SILICIDE ÍMDG, IATA MAGNESIUM SILICIDE

14.3 Transport hazard class(es)

ADR



Label IMDG, IATA

4.3 (W2) Substances which, in contact with water, emit flammable gases. 4.3



4.3 Substances which, in contact with water, emit flammable gases. 4.3 Class

(Contd. on page 4)

Page 4/4 Printing date 30.10.2015 Revision: 10.02.2014

rade name <i>Magnesium silicide</i>	
	(Contd. of page 3)
Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Kemler Number: EMS Number:	Warning: Substances which, in contact with water, emit flammable gases. 423 F-G,S-O
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the I Code	BC Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ): Limited quantities (LQ) Transport category Tunnel restriction code	E2 500 g 2 D/E
UN "Model Regulation":	UN2624, MAGNESIUM SILICIDE, 4.3, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Australian Inventory of Chemical Substances Substance is not listed.

Standard for the Uniform Scheduling of Drugs and Poisons Substance is not listed.

National regulations

Information about limitation of use: For use only by technically qualified individuals.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances) Substance is not listed.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the manufacturing is not listed. the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Substances)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LSG0: Lethal concentration, 50 percent

VPWs: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)