

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **Ruthenium(IV) oxide anhydrous**

Stock number: A10816

CAS Number:
12036-10-1

EC number:
234-840-6

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Thermo Fisher (Kandel) GmbH
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department: Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)
Poison Information Center Mainz
www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS03 flame over circle

Ox. Sol. 1 H271 May cause fire or explosion; strong oxidiser.

Other hazards that do not result in classification No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS03

Signal word Danger

Hazard statements

H271 May cause fire or explosion; strong oxidiser.

Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P283 Wear fire/flame resistant/retardant clothing.

P210 Keep away from heat. - No smoking.

P306+P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P371+P380+P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS# Designation:

12036-10-1 Ruthenium(IV) oxide

Concentration: ≤100%

Identification number(s):

EC number: 234-840-6

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

For safety reasons unsuitable extinguishing agents Halocarbon extinguisher

5.2 Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

Trade name **Ruthenium(IV) oxide anhydrous**

(Contd. of page 1)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.

6.3 Methods and material for containment and cleaning up: Collect mechanically.

Prevention of secondary hazards:

Acts as an oxidizing agent on organic materials such as wood, paper and fats

Keep away from combustible material.

6.4 Reference to other sections

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas.

Keep containers tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation/exhaustion at the workplace.

Information about protection against explosions and fires:

Substance/product can reduce the ignition temperature of flammable substances.

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store with organic materials.

Store away from metal powders.

Store away from water.

Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and keep away from water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use breathing protection with high concentrations.

Use breathing protection in case of insufficient ventilation.

Recommended filter device for short term use:

Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves Impervious gloves

Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Powder

Colour: Black

Odour: Odourless

Odour threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/freezing point: 1200 °C (subl)

Initial boiling point and boiling range: Not determined

Sublimation temperature / start: Not determined

Inflammability (solid, gaseous) Contact with combustible material may cause fire.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Self-inflammability: Not determined.

Explosive properties: Explosive when mixed with combustible material.

Critical values for explosion:

Lower: Not determined

Upper: Not determined

Steam pressure: Not applicable.

Density at 20 °C 6,97 g/cm³

Relative density Not determined.

(Contd. on page 3)

Trade name **Ruthenium(IV) oxide anhydrous**

(Contd. of page 2)

Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity	May intensify fire; oxidiser. May cause fire or explosion; strong oxidiser.
10.2 Chemical stability	Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions	Reacts with reducing agents Reacts with flammable substances
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	Flammable substances Reducing agents Organic materials Metal powders Water/moisture

SECTION 11: Toxicological information

11.1 Information on toxicological effects	Acute toxicity The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification:	Oral LD50 4580 mg/kg (rat)
Skin irritation or corrosion:	May cause irritation
Eye irritation or corrosion:	May cause irritation
Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	No effects known.
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:	No effects known.
Specific target organ system toxicity - repeated exposure:	No effects known.
Specific target organ system toxicity - single exposure:	No effects known.
Aspiration hazard:	No effects known.
Subacute to chronic toxicity:	The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.


SECTION 12: Ecological information

12.1 Toxicity	Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability	No further relevant information available.
12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
Additional ecological information:	
General notes:	Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.
12.5 Results of PBT and vPvB assessment	PBT: Not applicable. vPvB: Not applicable.
12.6 Other adverse effects	No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	Recommendation Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.
Uncleaned packagings:	Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA	UN1479
14.2 UN proper shipping name ADR IMDG, IATA	1479 OXIDIZING SOLID, N.O.S. (Ruthenium(IV) oxide, anhydrous) OXIDIZING SOLID, N.O.S. (Ruthenium(IV) oxide, anhydrous)
14.3 Transport hazard class(es) ADR	
	
Class Label	5.1 (O2) Oxidising substances. 5.1

(Contd. on page 4)
DE

Trade name **Ruthenium(IV) oxide anhydrous**

(Contd. of page 3)

IMDG, IATA



Class 5.1 Oxidising substances.
Label 5.1

Packing group II
ADR III
IMDG, IATA

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Warning: Oxidising substances.
Kemler Number: 50
EMS Number: F-A,S-Q
Stowage Category B
Segregation Code SG38 Stow "separated from" ammonium compounds.
SG49 Stow "separated from" cyanides
SG60 Stow "separated from" peroxides
SG61 Stow "separated from" powdered metals

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Transport/Additional information:

ADR
Limited quantities (LQ) 1 kg
Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 500 g

Transport category 2
Tunnel restriction code E

IMDG
Limited quantities (LQ) 5 kg
Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 g
Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation": UN 1479 OXIDIZING SOLID, N.O.S. (RUTHENIUM(IV) OXIDE, ANHYDROUS), 5.1, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical Substances Substance is listed.
Standard for the Uniform Scheduling of Medicines and Poisons Substance is not listed.

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

Seveso category P8 OXIDISING LIQUIDS AND SOLIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

National regulations

Information about limitation of use:

Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances) Substance is not listed.

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety and Health Administration (USA)

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Ox. Sol. 1: Oxidizing solids – Category 1